

# WINDY

## Tekniset tiedot

	WINDY 3	WINDY 3 H.P.	WINDY 4	WINDY 4 H.P.	WINDY 5	WINDY 5 H.P.
<b>Tilavuus</b> <b>Volume</b> [m <sup>3</sup> ]	60-65	60-65	73-78	73-78	88-96	88-96
<b>Jännite</b> <b>Power supply</b> [V.]	1 x 220 - 240	1 x 220 - 240	1 x 220 - 240	1 x 220 - 240	1 x 220 - 240	1 x 220 - 240
<b>Taajuus</b> <b>Frequency</b> [Hz]	50	50	50	50	50	50
<b>Jäähdytys</b> <b>Cooling power</b> [Kw]	2,062	2,062	2,436	2,436	3,352	3,352
<b>Lämmitys teho</b> <b>Heating power</b> [Kw]	=	2,235	=	2,534	=	3,474
<b>Sähkö teho</b> <b>Electric power *</b> absorbed in cold [W]	760	760	890	890	1170	1170
<b>Sähkö teho</b> <b>Electric power</b> absorbed in cold [W max]	850	850	1090	1090	1260	1260
<b>Sähkö teho</b> <b>Electric power *</b> absorbed in hot [W]	=	710	=	840	=	1040
<b>Kuivausteho</b> <b>Dehumidification</b> [litres/h]	1,0	1,0	1,2	1,2	1,4	1,4
<b>Äänenpaine taso</b> <b>Noise Pressure Level</b> min-max [dB A]	35-45	36-47	36-46	37-47	37-47	37-48
<b>Jäähdytys kaasua</b> <b>Refrigerating gas</b>	R410 A	R410 A	R410 A	R410 A	R410 A	R410 A
<b>Mitat</b> <b>Dimensions</b> [mm]	540x630x290	540x630x290	540x630x290	540x630x290	540x630x290	540x630x290
<b>Paino</b> <b>Weight</b> [Kg]	28	29	32	33	35	36
<b>Kylmä energialuokka</b> <b>Cold energy class</b>	A	A	A	A	A	A
<b>Kuuma energialuokka</b> <b>Hot energy class</b>	=	A	=	A	=	A
<b>Ilmavirta</b> <b>Air flow</b> [m <sup>3</sup> /h]	290	290	310	310	430	430
<b>COP</b>	=	3.14	=	3,02	=	3,33
<b>EER</b>	2.71	2.71	2.73	2.73	2,86	2,86
<b>Ulkoreiän halkaisija</b> <b>External hole diameter</b> [mm]	<b>152</b>	<b>152</b>	<b>152</b>	<b>152</b>	<b>200</b>	<b>200</b>

All the data and information indicated in this catalogue are subject to modification by the manufacturer without warning. Finer details all responsibility for any errors or inaccuracies that may be found in this catalogue due to printing or format/typographical mistakes.